

Acta Crystallographica Section E

### **Structure Reports Online**

ISSN 1600-5368

## Isopropyl 2,3,4,6-tetra-O-acetyl- $\beta$ -Dglucopyranoside

### Bettina Mönch, Franziska Emmerling,\* Werner Kraus, **Roland Becker and Irene Nehls**

BAM Federal Institute for Materials Research and Testing, Department of Analytical Chemistry, Reference Materials, Richard-Willstätter-Strasse 11, D-12489 Berlin, Germany

Correspondence e-mail: franziska.emmerling@bam.de

Received 26 November 2012; accepted 20 December 2012

Key indicators: single-crystal X-ray study; T = 296 K; mean  $\sigma(\text{C-C}) = 0.008 \text{ Å}$ ; R factor = 0.058; wR factor = 0.151; data-to-parameter ratio = 9.3.

The title compound, C<sub>17</sub>H<sub>26</sub>O<sub>10</sub>, was formed by a Koenigs-Knorr reaction of 2,3,4,6-tetra-*O*-acetyl-α-D-glucopyranosyl bromide and propan-2-ol. The central ring adopts a chair conformation. The crystal does not contain any significant intermolecular interactions.

#### **Related literature**

Metabolites of alcohol are important markers for previous alcohol consumption, see: Joya et al. (2012); Helander et al. (2012). For investigation of the short-chain alkyl alcohol content in alcoholic beverages, see: Lachenmeier & Musshoff (2004). For the relevance of short-chain alkyl alcohol glucuronides as alcohol markers, see; Sticht & Käferstein (1999). For related synthesis, see: Baer & Abbas (1979).

#### **Experimental**

Crystal data

 $C_{17}H_{26}O_{10}$  $V = 1051.8 (2) \text{ Å}^3$  $M_r = 390.38$ Z = 2Monoclinic, P2<sub>1</sub> Mo  $K\alpha$  radiation  $\mu = 0.10 \text{ mm}^$ a = 9.4225 (12) Å b = 9.9313 (12) ÅT = 296 Kc = 11.3641 (15) Å $0.28 \times 0.12 \times 0.11 \text{ mm}$  $\beta = 98.482 (9)^{\circ}$ 

Data collection

Bruker APEXII CCD 11225 measured reflections diffractometer 2274 independent reflections Absorption correction: multi-scan 1411 reflections with  $I > 2\sigma(I)$  $R_{\rm int} = 0.107$ (SADABS; Bruker, 2001)  $T_{\min} = 0.221, T_{\max} = 0.364$ 

Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.058$ 1 restraint  $wR(F^2) = 0.151$ H-atom parameters constrained  $\Delta \rho_{\text{max}} = 0.16 \text{ e Å}^{-3}$ S = 1.07 $\Delta \rho_{\rm min} = -0.13~{\rm e}~{\rm \mathring{A}}^{-3}$ 2274 reflections 244 parameters

Data collection: APEX2 (Bruker, 2001); cell refinement: SAINT (Bruker, 2001); data reduction: SAINT; program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: SHELXTL (Sheldrick, 2008) and ORTEPIII (Burnett & Johnson, 1996); software used to prepare material for publication: SHELXTL.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: BT6870).

#### References

Baer, H. H. & Abbas, S. A. (1979). Carbohydr. Res. 77, 117-129. Bruker (2001). APEX2, SAINT and SADABS. Bruker AXS Inc., Madison, Wisconsin, USA.

Burnett, M. N. & Johnson, C. K. (1996). ORTEPIII. Report ORNL-6895. Oak Ridge National Laboratory, Tennessee, USA.

Helander, A., Péter, O. & Zheng, Y. (2012). Alcohol Alcohol. 47, 552-557. Joya, X., Friguls, B., Papaseit, E., Martínez, S. E., Manich, A., Garcia-Algar, O., Pacifici, R. & Pichini, S. (2012). J. Pharm. Biomed. Anal. 69, 209-222.

Lachenmeier, D. W. & Musshoff, F. (2004). Rechtsmedizin, 14, 454-462.

Sheldrick, G. M. (2008). Acta Cryst. A64, 112-122.

Sticht, G. & Käferstein, H. (1999). Rechtsmedizin, 9, 184-189.

0157Acta Cryst. (2013). E69, o157 doi:10.1107/S1600536812051483 Mönch et al

Acta Cryst. (2013). E69, o157 [doi:10.1107/S1600536812051483]

## Isopropyl 2,3,4,6-tetra-O-acetyl-β-D-glucopyranoside

## Bettina Mönch, Franziska Emmerling, Werner Kraus, Roland Becker and Irene Nehls

#### Comment

In recent years the determination of alcohol metabolites gained importance for screening previous alcohol consumption (Joya *et al.*, Helander *et al.*, 2012). Beside ethanol several short-chain alkyl alcohols, *e.g. i-*propanol, are found in alcoholic beverages as a result of the fermentation process (Lachenmeier & Musshoff, 2004). The glucuronides of these so-called fusel alcohols are interesting markers for the consumption of alcohol (Sticht & Käferstein, 1999). Hence, the analysis of these glucuronic metabolites, including their synthesis and full characterization is mandatory.

The title compound was formed by a Koenigs-Knorr-reaction of 2,3,4,6-tetra-O-acetyl- $\alpha$ -D-glucopyranosyl bromide and propan-2-ol (related synthesis Baer & Abbas, 1979) as an intermediate product towards synthesis of n-propyl-glucuronide.

The central ring has a chair conformation (Fig 1). The absolute configuration could not be defined confidently based on the single-crystal diffraction data. The isomeric purity of the title compound was confirmed by <sup>1</sup>H-NMR.

### **Experimental**

i-Propyl 2,3,4,6-tetra-O-acetyl- $\beta$ -D-glucopyranoside was synthesized by a Koenigs-Knorr-reaction of 2,3,4,6-tetra-O-acetyl- $\alpha$ -D-glucopyranosyl bromide and propan-2-ol. In order to obtain crystals suitable for single-crystal analysis, about 10 mg of the compound were dissolved in 2 ml propan-2-ol. Colourless crystals of the title compound were formed after 4 days of slow solvent evaporation at room temperature.


#### Refinement

All H-atoms were positioned geometrically and refined using a riding model with d(C—H) = 0.93 Å,  $U_{iso} = 1.2U_{eq}$  (C) for aromatic 0.98 Å,  $U_{iso} = 1.2U_{eq}$  (C) for CH, 0.97 Å,  $U_{iso} = 1.2U_{eq}$  (C) for CH<sub>2</sub>, 0.96 Å,  $U_{iso} = 1.5U_{eq}$  (C) for CH<sub>3</sub> hydrogen atoms. In the absence of significant anomalous dispersion effects Friedel pairs were merged. The absolute configuration has not been determined by anomalous-dispersion effects in diffraction measurements of the crystal. The conformation has been assigned due to an unchanging chiral centre in the synthetic procedure.

### **Computing details**

Data collection: *APEX2* (Bruker, 2001); cell refinement: *SAINT* (Bruker, 2001); data reduction: *SAINT* (Bruker, 2001); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008) and *ORTEPIII* (Burnett & Johnson, 1996); software used to prepare material for publication: *SHELXTL* (Sheldrick, 2008).

Acta Cryst. (2013). E69, o157 Sup-1



**Figure 1**ORTEP representation of the title compound with atomic labeling shown with 30% probability displacement ellipsoids.

Acta Cryst. (2013). E69, o157 sup-2




Figure 2 View of the unit cell of the title compound along the b axis.

## Isopropyl 2,3,4,6-tetra-O-acetyl-β-D-glucopyranoside

 $V = 1051.8 (2) \text{ Å}^3$ 

Z = 2

Crystal data

F(000) = 416  $D_x = 1.233$  Mg m<sup>-3</sup> Mo  $K\alpha$  radiation,  $\lambda = 0.71073$  Å Cell parameters from 1344 reflections  $\theta = 2.6-19.8^{\circ}$   $\mu = 0.10$  mm<sup>-1</sup> T = 296 K Block, colourless  $0.28 \times 0.12 \times 0.11$  mm

*Acta Cryst.* (2013). E**69**, o157

Data collection

Bruker APEXII CCD

diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

 $\varphi$  and  $\omega$  scans

Absorption correction: multi-scan

(SADABS; Bruker, 2001)

 $T_{\min} = 0.221, T_{\max} = 0.364$ 

Refinement

Refinement on  $F^2$ 

Least-squares matrix: full

 $R[F^2 > 2\sigma(F^2)] = 0.058$  $wR(F^2) = 0.151$ 

S = 1.07

2274 reflections

244 parameters

1 restraint

Primary atom site location: structure-invariant

direct methods

11225 measured reflections 2274 independent reflections

1411 reflections with  $I > 2\sigma(I)$ 

 $R_{\rm int} = 0.107$ 

 $\theta_{\text{max}} = 26.3^{\circ}, \, \theta_{\text{min}} = 1.8^{\circ}$ 

 $h = -11 \rightarrow 11$ 

 $k = -12 \rightarrow 11$ 

 $l = -14 \rightarrow 14$ 

Secondary atom site location: difference Fourier

map

Hydrogen site location: inferred from

neighbouring sites

H-atom parameters constrained

 $w = 1/[\sigma^2(F_0^2) + (0.0659P)^2]$ 

where  $P = (F_0^2 + 2F_c^2)/3$ 

 $(\Delta/\sigma)_{\rm max} \le 0.001$ 

 $\Delta \rho_{\text{max}} = 0.16 \text{ e Å}^{-3}$ 

 $\Delta \rho_{\min} = -0.13 \text{ e Å}^{-3}$ 

#### Special details

**Geometry**. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted R-factor wR and goodness of fit S are based on  $F^2$ , conventional R-factors R are based on F, with F set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating R-factors(gt) etc. and is not relevant to the choice of reflections for refinement. R-factors based on  $F^2$  are statistically about twice as large as those based on F, and F-factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters  $(\mathring{A}^2)$ 

	X	у	Z	$U_{ m iso}$ */ $U_{ m eq}$	
01	0.5370(3)	0.1530(3)	0.2024(3)	0.0679 (9)	
O2	0.4905 (5)	0.3603 (4)	0.1307 (4)	0.1009 (14)	
O3	0.7120(3)	0.2202(3)	0.4275 (3)	0.0599 (8)	
O4	0.8668 (4)	0.0492 (4)	0.4350 (5)	0.1119 (16)	
O5	0.6214(3)	0.0547 (3)	0.6176(3)	0.0608 (8)	
O6	0.6978 (6)	0.2424 (5)	0.7143 (4)	0.1298 (19)	
O7	0.2892(3)	0.1260(3)	0.4196(3)	0.0651 (8)	
O8	0.2399(3)	0.1684(3)	0.2197(3)	0.0696 (9)	
O9	0.3094 (4)	0.1908(3)	0.6722(3)	0.0752 (10)	
O10	0.1637 (7)	0.1219 (6)	0.7944 (5)	0.149 (2)	
C1	0.5300(6)	0.2489 (6)	0.1162 (5)	0.0727 (14)	
C2	0.5743 (7)	0.1902 (8)	0.0060 (5)	0.108 (2)	
H2A	0.5697	0.2584	-0.0542	0.161*	
H2B	0.5109	0.1176	-0.0220	0.161*	
H2C	0.6707	0.1568	0.0235	0.161*	
C3	0.4811 (4)	0.1820 (4)	0.3120 (4)	0.0542 (11)	
Н3А	0.4669	0.2792	0.3197	0.065*	

Acta Cryst. (2013). E69, o157 Sup-4

C4         0.5889 (4)         0.1315 (4)         0.4138 (4)         0.0514 (10)           H4A         0.6193         0.0404         0.3959         0.062*           C5         0.8464 (5)         0.1663 (6)         0.4401 (5)         0.0799 (14)           C6         0.9581 (6)         0.2722 (6)         0.4646 (7)         0.104 (2)           H6A         1.0514         0.2314         0.4728         0.156*           H6B         0.9488         0.3183         0.5368         0.156*           H6C         0.9483         0.3353         0.3999         0.156*           C7         0.5271 (4)         0.1297 (4)         0.5294 (4)         0.0526 (10)           H7A         0.5172         0.2221         0.5572         0.063*           C8         0.7049 (6)         0.1238 (7)         0.7044 (5)         0.0780 (15)           C9         0.8026 (6)         0.0292 (7)         0.7811 (5)         0.095 (2)           H9A         0.8613         0.0794         0.8420         0.143*           H9B         0.8626         -0.0172         0.7331         0.143*           H9C         0.7462         -0.0350         0.8171         0.143*           H9C         0.74					
C5         0.8464 (5)         0.1663 (6)         0.4401 (5)         0.0709 (14)           C6         0.9581 (6)         0.2722 (6)         0.4646 (7)         0.104 (2)           H6A         1.0514         0.2314         0.4728         0.156*           H6B         0.9468         0.3183         0.5368         0.156*           H6C         0.9483         0.3353         0.3999         0.156*           C7         0.5271 (4)         0.1297 (4)         0.5294 (4)         0.0526 (10)           H7A         0.5172         0.2221         0.5572         0.063*           C8         0.7049 (6)         0.1238 (7)         0.7044 (5)         0.0780 (15)           C9         0.8026 (6)         0.0292 (7)         0.7811 (5)         0.095 (2)           H9A         0.8613         0.0794         0.8420         0.143*           H9B         0.8626         -0.0172         0.7331         0.143*           H9C         0.7462         -0.03350         0.8171         0.143*           C10         0.3795 (5)         0.0587 (5)         0.5137 (4)         0.0574 (11)           H10A         0.3509         0.1030         0.2907         0.070**           C11	C4	0.5889 (4)	0.1315 (4)	0.4138 (4)	0.0514 (10)
C6         0.9581 (6)         0.2722 (6)         0.4646 (7)         0.104 (2)           H6A         1.0514         0.2314         0.4728         0.156*           H6B         0.9468         0.3183         0.5368         0.156*           H6C         0.9483         0.3353         0.3999         0.156*           C7         0.5271 (4)         0.1297 (4)         0.5294 (4)         0.0526 (10)           H7A         0.5172         0.2221         0.5572         0.063*           C8         0.7049 (6)         0.1238 (7)         0.7044 (5)         0.0780 (15)           C9         0.8026 (6)         0.0292 (7)         0.7811 (5)         0.095 (2)           H9A         0.8613         0.0794         0.8420         0.143*           H9B         0.8626         -0.0172         0.7331         0.143*           H9C         0.7462         -0.0350         0.8171         0.143*           H9C         0.7462         -0.0345         0.4892         0.069*           C11         0.3396 (5)         0.1088 (5)         0.3077 (4)         0.0580 (11)           H11A         0.3509         0.0130         0.2907         0.070*           C12         0.1157 (6)	H4A	0.6193	0.0404	0.3959	0.062*
H6A         1.0514         0.2314         0.4728         0.156*           H6B         0.9468         0.3183         0.5368         0.156*           H6C         0.9483         0.3353         0.3999         0.156*           C7         0.5271 (4)         0.1297 (4)         0.5294 (4)         0.0526 (10)           H7A         0.5172         0.2221         0.5572         0.063*           C8         0.7049 (6)         0.1238 (7)         0.7044 (5)         0.0780 (15)           C9         0.8026 (6)         0.0292 (7)         0.7811 (5)         0.095 (2)           H9A         0.8613         0.0794         0.8420         0.143*           H9B         0.8626         -0.0172         0.7331         0.143*           H9C         0.7462         -0.0350         0.8171         0.143*           H9C         0.7462         -0.0350         0.8171         0.143*           H10A         0.3996 (5)         0.0587 (5)         0.5137 (4)         0.0574 (11)           H10A         0.3996 (5)         0.1038 (5)         0.3077 (4)         0.0580 (11)           H11A         0.3509 (5)         0.0130         0.2907         0.070*           C12         0.1157 (	C5	0.8464 (5)	0.1663 (6)	0.4401 (5)	0.0709 (14)
H6B         0.9468         0.3183         0.5368         0.156*           H6C         0.9483         0.3353         0.3999         0.156*           C7         0.5271 (4)         0.1297 (4)         0.5294 (4)         0.0526 (10)           H7A         0.5172         0.2221         0.5572         0.063*           C8         0.7049 (6)         0.1238 (7)         0.7044 (5)         0.0780 (15)           C9         0.8026 (6)         0.0292 (7)         0.7811 (5)         0.095 (2)           H9A         0.8613         0.0794         0.8420         0.143*           H9B         0.8626         -0.0172         0.7331         0.143*           H9C         0.7462         -0.0350         0.8171         0.143*           H9C         0.7462         -0.0345         0.4892         0.069*           C10         0.3795 (5)         0.0587 (5)         0.5137 (4)         0.0580 (11)           H10A         0.3926         -0.0345         0.4892         0.069*           C1         0.3396 (5)         0.1088 (5)         0.3077 (4)         0.0580 (11)           H11A         0.3509         0.0130         0.2907         0.070*           C12         0.1157 (6) <td>C6</td> <td>0.9581 (6)</td> <td>0.2722 (6)</td> <td>0.4646 (7)</td> <td>0.104 (2)</td>	C6	0.9581 (6)	0.2722 (6)	0.4646 (7)	0.104 (2)
H6C         0.9483         0.3353         0.3999         0.156*           C7         0.5271 (4)         0.1297 (4)         0.5294 (4)         0.0526 (10)           H7A         0.5172         0.2221         0.5572         0.063*           C8         0.7049 (6)         0.1238 (7)         0.7044 (5)         0.0780 (15)           C9         0.8026 (6)         0.0292 (7)         0.7811 (5)         0.095 (2)           H9A         0.8613         0.0794         0.8420         0.143*           H9B         0.8626         -0.0172         0.7331         0.143*           H9C         0.7462         -0.0350         0.8171         0.143*           C10         0.3795 (5)         0.0587 (5)         0.5137 (4)         0.0574 (11)           H10A         0.3926         -0.0345         0.4892         0.069*           C11         0.3396 (5)         0.1088 (5)         0.3077 (4)         0.0580 (11)           H11A         0.3509         0.0130         0.2907         0.070*           C12         0.1157 (6)         0.0848 (6)         0.1770 (5)         0.0838 (17)           H12A         0.0844         0.0373         0.2443         0.101*           C13	H6A	1.0514	0.2314	0.4728	0.156*
C7         0.5271 (4)         0.1297 (4)         0.5294 (4)         0.0526 (10)           H7A         0.5172         0.2221         0.5572         0.063*           C8         0.7049 (6)         0.1238 (7)         0.7044 (5)         0.0780 (15)           C9         0.8026 (6)         0.0292 (7)         0.7811 (5)         0.095 (2)           H9A         0.8613         0.0794         0.8420         0.143*           H9B         0.8626         -0.0172         0.7331         0.143*           H9C         0.7462         -0.0350         0.8171         0.143*           H9C         0.7462         -0.0350         0.8171         0.143*           C10         0.3795 (5)         0.0587 (5)         0.5137 (4)         0.0574 (11)           H10A         0.3926         -0.0345         0.4892         0.069*           C11         0.3396 (5)         0.1088 (5)         0.3077 (4)         0.0580 (11)           H11A         0.3509         0.0130         0.2907         0.070*           C12         0.1157 (6)         0.0848 (6)         0.1770 (5)         0.0838 (17)           H12A         0.0844         0.0373         0.2443         0.101*           C13	H6B	0.9468	0.3183	0.5368	0.156*
H7A         0.5172         0.2221         0.5572         0.063*           C8         0.7049 (6)         0.1238 (7)         0.7044 (5)         0.0780 (15)           C9         0.8026 (6)         0.0292 (7)         0.7811 (5)         0.095 (2)           H9A         0.8613         0.0794         0.8420         0.143*           H9B         0.8626         -0.0172         0.7331         0.143*           H9C         0.7462         -0.0350         0.8171         0.143*           C10         0.3795 (5)         0.0587 (5)         0.5137 (4)         0.0574 (11)           H10A         0.3926         -0.0345         0.4892         0.069*           C11         0.3396 (5)         0.1088 (5)         0.3077 (4)         0.0580 (11)           H11A         0.3509         0.0130         0.2907         0.070*           C12         0.1157 (6)         0.0848 (6)         0.1770 (5)         0.0838 (17)           H12A         0.0844         0.0373         0.2443         0.101*           C13         0.0007 (7)         0.1795 (8)         0.1244 (7)         0.133 (3)           H13B         -0.0839         0.1295         0.0938         0.199*           H13B	H6C	0.9483	0.3353	0.3999	0.156*
C8         0.7049 (6)         0.1238 (7)         0.7044 (5)         0.0780 (15)           C9         0.8026 (6)         0.0292 (7)         0.7811 (5)         0.095 (2)           H9A         0.8613         0.0794         0.8420         0.143*           H9B         0.8626         -0.0172         0.7331         0.143*           H9C         0.7462         -0.0350         0.8171         0.143*           C10         0.3795 (5)         0.0587 (5)         0.5137 (4)         0.0574 (11)           H10A         0.3926         -0.0345         0.4892         0.069*           C11         0.3396 (5)         0.1088 (5)         0.3077 (4)         0.0580 (11)           H11A         0.3509         0.0130         0.2907         0.070*           C12         0.1157 (6)         0.0848 (6)         0.1770 (5)         0.0838 (17)           H12A         0.0844         0.0373         0.2443         0.101*           C13         0.0007 (7)         0.1795 (8)         0.1244 (7)         0.133 (3)           H13B         -0.0839         0.1295         0.0938         0.199*           H13C         0.0331         0.2293         0.0610         0.199*           H13A	C7	0.5271 (4)	0.1297 (4)	0.5294 (4)	0.0526 (10)
C9         0.8026 (6)         0.0292 (7)         0.7811 (5)         0.095 (2)           H9A         0.8613         0.0794         0.8420         0.143*           H9B         0.8626         -0.0172         0.7331         0.143*           H9C         0.7462         -0.0350         0.8171         0.143*           C10         0.3795 (5)         0.0587 (5)         0.5137 (4)         0.0574 (11)           H10A         0.3996         -0.0345         0.4892         0.069*           C11         0.3396 (5)         0.1088 (5)         0.3077 (4)         0.0580 (11)           H11A         0.3509         0.0130         0.2907         0.070*           C12         0.1157 (6)         0.0848 (6)         0.1770 (5)         0.0838 (17)           H12A         0.0844         0.0373         0.2443         0.101*           C13         0.0007 (7)         0.1795 (8)         0.1244 (7)         0.133 (3)           H13A         -0.0210         0.2409         0.1846         0.199*           H13B         -0.0839         0.1295         0.0938         0.199*           C14         0.1516 (9)         -0.0151 (8)         0.0883 (7)         0.132 (3)           H14A	H7A	0.5172	0.2221	0.5572	0.063*
H9A         0.8613         0.0794         0.8420         0.143*           H9B         0.8626         -0.0172         0.7331         0.143*           H9C         0.7462         -0.0350         0.8171         0.143*           C10         0.3795 (5)         0.0587 (5)         0.5137 (4)         0.0574 (11)           H10A         0.3926         -0.0345         0.4892         0.069*           C11         0.3396 (5)         0.1088 (5)         0.3077 (4)         0.0580 (11)           H11A         0.3509         0.0130         0.2907         0.070*           C12         0.1157 (6)         0.0848 (6)         0.1770 (5)         0.0838 (17)           H12A         0.0844         0.0373         0.2443         0.101*           C13         0.0007 (7)         0.1795 (8)         0.1244 (7)         0.133 (3)           H13A         -0.0210         0.2409         0.1846         0.199*           H13B         -0.0839         0.1295         0.0938         0.199*           H13C         0.0331         0.2293         0.0610         0.198*           H14A         0.2236         -0.0758         0.1259         0.198*           H14B         0.1874	C8	0.7049 (6)	0.1238 (7)	0.7044 (5)	0.0780 (15)
H9B         0.8626         -0.0172         0.7331         0.143*           H9C         0.7462         -0.0350         0.8171         0.143*           C10         0.3795 (5)         0.0587 (5)         0.5137 (4)         0.0574 (11)           H10A         0.3926         -0.0345         0.4892         0.069*           C11         0.3396 (5)         0.1088 (5)         0.3077 (4)         0.0580 (11)           H11A         0.3509         0.0130         0.2907         0.070*           C12         0.1157 (6)         0.0848 (6)         0.1770 (5)         0.0838 (17)           H12A         0.0844         0.0373         0.2443         0.101*           C13         0.0007 (7)         0.1795 (8)         0.1244 (7)         0.133 (3)           H13A         -0.0210         0.2409         0.1846         0.199*           H13B         -0.0839         0.1295         0.0938         0.199*           H13C         0.0331         0.2293         0.0610         0.199*           C14         0.1516 (9)         -0.0151 (8)         0.0883 (7)         0.132 (3)           H14B         0.1874         0.0312         0.0245         0.198*           H14C         0.0	C9	0.8026 (6)	0.0292 (7)	0.7811 (5)	0.095 (2)
H9C         0.7462         -0.0350         0.8171         0.143*           C10         0.3795 (5)         0.0587 (5)         0.5137 (4)         0.0574 (11)           H10A         0.3926         -0.0345         0.4892         0.069*           C11         0.3396 (5)         0.1088 (5)         0.3077 (4)         0.0580 (11)           H11A         0.3509         0.0130         0.2907         0.070*           C12         0.1157 (6)         0.0848 (6)         0.1770 (5)         0.0838 (17)           H12A         0.0844         0.0373         0.2443         0.101*           C13         0.0007 (7)         0.1795 (8)         0.1244 (7)         0.133 (3)           H13A         -0.0210         0.2409         0.1846         0.199*           H13B         -0.0839         0.1295         0.0938         0.199*           H13C         0.0331         0.2293         0.0610         0.199*           C14         0.1516 (9)         -0.0151 (8)         0.0883 (7)         0.132 (3)           H14B         0.1874         0.0312         0.0245         0.198*           H14B         0.1874         0.0312         0.0245         0.198*           C15         0.30	H9A	0.8613	0.0794	0.8420	0.143*
C10         0.3795 (5)         0.0587 (5)         0.5137 (4)         0.0574 (11)           H10A         0.3926         -0.0345         0.4892         0.069*           C11         0.3396 (5)         0.1088 (5)         0.3077 (4)         0.0580 (11)           H11A         0.3509         0.0130         0.2907         0.070*           C12         0.1157 (6)         0.0848 (6)         0.1770 (5)         0.0838 (17)           H12A         0.0844         0.0373         0.2443         0.101*           C13         0.0007 (7)         0.1795 (8)         0.1244 (7)         0.133 (3)           H13A         -0.0210         0.2409         0.1846         0.199*           H13B         -0.0839         0.1295         0.0938         0.199*           H13C         0.0331         0.2293         0.0610         0.199*           C14         0.1516 (9)         -0.0151 (8)         0.0883 (7)         0.132 (3)           H14A         0.2236         -0.0758         0.1259         0.198*           H14B         0.1874         0.0312         0.0245         0.198*           C15         0.3091 (6)         0.0569 (5)         0.6241 (5)         0.0708 (14)           H15A <td>H9B</td> <td>0.8626</td> <td>-0.0172</td> <td>0.7331</td> <td>0.143*</td>	H9B	0.8626	-0.0172	0.7331	0.143*
H10A       0.3926       -0.0345       0.4892       0.069*         C11       0.3396 (5)       0.1088 (5)       0.3077 (4)       0.0580 (11)         H11A       0.3509       0.0130       0.2907       0.070*         C12       0.1157 (6)       0.0848 (6)       0.1770 (5)       0.0838 (17)         H12A       0.0844       0.0373       0.2443       0.101*         C13       0.0007 (7)       0.1795 (8)       0.1244 (7)       0.133 (3)         H13A       -0.0210       0.2409       0.1846       0.199*         H13B       -0.0839       0.1295       0.0938       0.199*         H13C       0.0331       0.2293       0.0610       0.199*         C14       0.1516 (9)       -0.0151 (8)       0.0883 (7)       0.132 (3)         H14A       0.2236       -0.0758       0.1259       0.198*         H14B       0.1874       0.0312       0.0245       0.198*         H14C       0.0671       -0.0649       0.0572       0.198*         C15       0.3091 (6)       0.0569 (5)       0.6241 (5)       0.0708 (14)         H15A       0.2113       0.0246       0.6051       0.085*         H15B       0.3609 </td <td>H9C</td> <td>0.7462</td> <td>-0.0350</td> <td>0.8171</td> <td>0.143*</td>	H9C	0.7462	-0.0350	0.8171	0.143*
C11       0.3396 (5)       0.1088 (5)       0.3077 (4)       0.0580 (11)         H11A       0.3509       0.0130       0.2907       0.070*         C12       0.1157 (6)       0.0848 (6)       0.1770 (5)       0.0838 (17)         H12A       0.0844       0.0373       0.2443       0.101*         C13       0.0007 (7)       0.1795 (8)       0.1244 (7)       0.133 (3)         H13A       -0.0210       0.2409       0.1846       0.199*         H13B       -0.0839       0.1295       0.0938       0.199*         H13C       0.0331       0.2293       0.0610       0.199*         C14       0.1516 (9)       -0.0151 (8)       0.0883 (7)       0.132 (3)         H14A       0.2236       -0.0758       0.1259       0.198*         H14B       0.1874       0.0312       0.0245       0.198*         H14C       0.0671       -0.0649       0.0572       0.198*         C15       0.3091 (6)       0.0569 (5)       0.6241 (5)       0.0708 (14)         H15A       0.2113       0.0246       0.6051       0.085*         H15B       0.3609       -0.0034       0.6825       0.0855         C16       0.2309 (6	C10	0.3795 (5)	0.0587 (5)	0.5137 (4)	0.0574 (11)
H11A       0.3509       0.0130       0.2907       0.070*         C12       0.1157 (6)       0.0848 (6)       0.1770 (5)       0.0838 (17)         H12A       0.0844       0.0373       0.2443       0.101*         C13       0.0007 (7)       0.1795 (8)       0.1244 (7)       0.133 (3)         H13A       -0.0210       0.2409       0.1846       0.199*         H13B       -0.0839       0.1295       0.0938       0.199*         H13C       0.0331       0.2293       0.0610       0.199*         C14       0.1516 (9)       -0.0151 (8)       0.0883 (7)       0.132 (3)         H14A       0.2236       -0.0758       0.1259       0.198*         H14B       0.1874       0.0312       0.0245       0.198*         H14C       0.0671       -0.0649       0.0572       0.198*         C15       0.3091 (6)       0.0569 (5)       0.6241 (5)       0.0708 (14)         H15A       0.2113       0.0246       0.6051       0.085*         C16       0.2309 (6)       0.2104 (7)       0.7598 (5)       0.0852 (17)         C17       0.2438 (9)       0.3493 (7)       0.8081 (6)       0.119 (3)         H17A	H10A	0.3926	-0.0345	0.4892	0.069*
H11A       0.3509       0.0130       0.2907       0.070*         C12       0.1157 (6)       0.0848 (6)       0.1770 (5)       0.0838 (17)         H12A       0.0844       0.0373       0.2443       0.101*         C13       0.0007 (7)       0.1795 (8)       0.1244 (7)       0.133 (3)         H13A       -0.0210       0.2409       0.1846       0.199*         H13B       -0.0839       0.1295       0.0938       0.199*         H13C       0.0331       0.2293       0.0610       0.199*         C14       0.1516 (9)       -0.0151 (8)       0.0883 (7)       0.132 (3)         H14A       0.2236       -0.0758       0.1259       0.198*         H14B       0.1874       0.0312       0.0245       0.198*         H14C       0.0671       -0.0649       0.0572       0.198*         C15       0.3091 (6)       0.0569 (5)       0.6241 (5)       0.0708 (14)         H15A       0.2113       0.0246       0.6051       0.085*         C16       0.2309 (6)       0.2104 (7)       0.7598 (5)       0.0852 (17)         C17       0.2438 (9)       0.3493 (7)       0.8081 (6)       0.119 (3)         H17A	C11	0.3396 (5)	0.1088 (5)	0.3077 (4)	0.0580 (11)
H12A       0.0844       0.0373       0.2443       0.101*         C13       0.0007 (7)       0.1795 (8)       0.1244 (7)       0.133 (3)         H13A       -0.0210       0.2409       0.1846       0.199*         H13B       -0.0839       0.1295       0.0938       0.199*         H13C       0.0331       0.2293       0.0610       0.199*         C14       0.1516 (9)       -0.0151 (8)       0.0883 (7)       0.132 (3)         H14A       0.2236       -0.0758       0.1259       0.198*         H14B       0.1874       0.0312       0.0245       0.198*         H14C       0.0671       -0.0649       0.0572       0.198*         C15       0.3091 (6)       0.0569 (5)       0.6241 (5)       0.0708 (14)         H15A       0.2113       0.0246       0.6051       0.085*         H15B       0.3609       -0.0034       0.6825       0.085*         C16       0.2309 (6)       0.2104 (7)       0.7598 (5)       0.0852 (17)         C17       0.2438 (9)       0.3493 (7)       0.8081 (6)       0.119 (3)         H17A       0.1849       0.3584       0.8698       0.178*         H17B       0.2127 <td>H11A</td> <td>0.3509</td> <td>0.0130</td> <td></td> <td>0.070*</td>	H11A	0.3509	0.0130		0.070*
C13       0.0007 (7)       0.1795 (8)       0.1244 (7)       0.133 (3)         H13A       -0.0210       0.2409       0.1846       0.199*         H13B       -0.0839       0.1295       0.0938       0.199*         H13C       0.0331       0.2293       0.0610       0.199*         C14       0.1516 (9)       -0.0151 (8)       0.0883 (7)       0.132 (3)         H14A       0.2236       -0.0758       0.1259       0.198*         H14B       0.1874       0.0312       0.0245       0.198*         H14C       0.0671       -0.0649       0.0572       0.198*         C15       0.3091 (6)       0.0569 (5)       0.6241 (5)       0.0708 (14)         H15A       0.2113       0.0246       0.6051       0.085*         H15B       0.3609       -0.0034       0.6825       0.085*         C16       0.2309 (6)       0.2104 (7)       0.7598 (5)       0.0852 (17)         C17       0.2438 (9)       0.3493 (7)       0.8081 (6)       0.119 (3)         H17A       0.1849       0.3584       0.8698       0.178*         H17B       0.2127       0.4124       0.7456       0.178*	C12	0.1157 (6)	0.0848 (6)	0.1770 (5)	0.0838 (17)
H13A       -0.0210       0.2409       0.1846       0.199*         H13B       -0.0839       0.1295       0.0938       0.199*         H13C       0.0331       0.2293       0.0610       0.199*         C14       0.1516 (9)       -0.0151 (8)       0.0883 (7)       0.132 (3)         H14A       0.2236       -0.0758       0.1259       0.198*         H14B       0.1874       0.0312       0.0245       0.198*         H14C       0.0671       -0.0649       0.0572       0.198*         C15       0.3091 (6)       0.0569 (5)       0.6241 (5)       0.0708 (14)         H15A       0.2113       0.0246       0.6051       0.085*         H15B       0.3609       -0.0034       0.6825       0.085*         C16       0.2309 (6)       0.2104 (7)       0.7598 (5)       0.0852 (17)         C17       0.2438 (9)       0.3493 (7)       0.8081 (6)       0.119 (3)         H17A       0.1849       0.3584       0.8698       0.178*         H17B       0.2127       0.4124       0.7456       0.178*	H12A	0.0844	0.0373	0.2443	0.101*
H13B       -0.0839       0.1295       0.0938       0.199*         H13C       0.0331       0.2293       0.0610       0.199*         C14       0.1516 (9)       -0.0151 (8)       0.0883 (7)       0.132 (3)         H14A       0.2236       -0.0758       0.1259       0.198*         H14B       0.1874       0.0312       0.0245       0.198*         H14C       0.0671       -0.0649       0.0572       0.198*         C15       0.3091 (6)       0.0569 (5)       0.6241 (5)       0.0708 (14)         H15A       0.2113       0.0246       0.6051       0.085*         H15B       0.3609       -0.0034       0.6825       0.085*         C16       0.2309 (6)       0.2104 (7)       0.7598 (5)       0.0852 (17)         C17       0.2438 (9)       0.3493 (7)       0.8081 (6)       0.119 (3)         H17A       0.1849       0.3584       0.8698       0.178*         H17B       0.2127       0.4124       0.7456       0.178*	C13	0.0007 (7)	0.1795 (8)	0.1244 (7)	0.133 (3)
H13C       0.0331       0.2293       0.0610       0.199*         C14       0.1516 (9)       -0.0151 (8)       0.0883 (7)       0.132 (3)         H14A       0.2236       -0.0758       0.1259       0.198*         H14B       0.1874       0.0312       0.0245       0.198*         H14C       0.0671       -0.0649       0.0572       0.198*         C15       0.3091 (6)       0.0569 (5)       0.6241 (5)       0.0708 (14)         H15A       0.2113       0.0246       0.6051       0.085*         H15B       0.3609       -0.0034       0.6825       0.085*         C16       0.2309 (6)       0.2104 (7)       0.7598 (5)       0.0852 (17)         C17       0.2438 (9)       0.3493 (7)       0.8081 (6)       0.119 (3)         H17A       0.1849       0.3584       0.8698       0.178*         H17B       0.2127       0.4124       0.7456       0.178*	H13A	-0.0210	0.2409	0.1846	0.199*
C14       0.1516 (9)       -0.0151 (8)       0.0883 (7)       0.132 (3)         H14A       0.2236       -0.0758       0.1259       0.198*         H14B       0.1874       0.0312       0.0245       0.198*         H14C       0.0671       -0.0649       0.0572       0.198*         C15       0.3091 (6)       0.0569 (5)       0.6241 (5)       0.0708 (14)         H15A       0.2113       0.0246       0.6051       0.085*         H15B       0.3609       -0.0034       0.6825       0.085*         C16       0.2309 (6)       0.2104 (7)       0.7598 (5)       0.0852 (17)         C17       0.2438 (9)       0.3493 (7)       0.8081 (6)       0.119 (3)         H17A       0.1849       0.3584       0.8698       0.178*         H17B       0.2127       0.4124       0.7456       0.178*	H13B	-0.0839	0.1295	0.0938	0.199*
H14A       0.2236       -0.0758       0.1259       0.198*         H14B       0.1874       0.0312       0.0245       0.198*         H14C       0.0671       -0.0649       0.0572       0.198*         C15       0.3091 (6)       0.0569 (5)       0.6241 (5)       0.0708 (14)         H15A       0.2113       0.0246       0.6051       0.085*         H15B       0.3609       -0.0034       0.6825       0.085*         C16       0.2309 (6)       0.2104 (7)       0.7598 (5)       0.0852 (17)         C17       0.2438 (9)       0.3493 (7)       0.8081 (6)       0.119 (3)         H17A       0.1849       0.3584       0.8698       0.178*         H17B       0.2127       0.4124       0.7456       0.178*	H13C	0.0331	0.2293	0.0610	0.199*
H14B       0.1874       0.0312       0.0245       0.198*         H14C       0.0671       -0.0649       0.0572       0.198*         C15       0.3091 (6)       0.0569 (5)       0.6241 (5)       0.0708 (14)         H15A       0.2113       0.0246       0.6051       0.085*         H15B       0.3609       -0.0034       0.6825       0.085*         C16       0.2309 (6)       0.2104 (7)       0.7598 (5)       0.0852 (17)         C17       0.2438 (9)       0.3493 (7)       0.8081 (6)       0.119 (3)         H17A       0.1849       0.3584       0.8698       0.178*         H17B       0.2127       0.4124       0.7456       0.178*	C14	0.1516 (9)	-0.0151 (8)	0.0883 (7)	0.132 (3)
H14C 0.0671 -0.0649 0.0572 0.198* C15 0.3091 (6) 0.0569 (5) 0.6241 (5) 0.0708 (14) H15A 0.2113 0.0246 0.6051 0.085* H15B 0.3609 -0.0034 0.6825 0.085* C16 0.2309 (6) 0.2104 (7) 0.7598 (5) 0.0852 (17) C17 0.2438 (9) 0.3493 (7) 0.8081 (6) 0.119 (3) H17A 0.1849 0.3584 0.8698 0.178* H17B 0.2127 0.4124 0.7456 0.178*	H14A	0.2236	-0.0758	0.1259	0.198*
C15       0.3091 (6)       0.0569 (5)       0.6241 (5)       0.0708 (14)         H15A       0.2113       0.0246       0.6051       0.085*         H15B       0.3609       -0.0034       0.6825       0.085*         C16       0.2309 (6)       0.2104 (7)       0.7598 (5)       0.0852 (17)         C17       0.2438 (9)       0.3493 (7)       0.8081 (6)       0.119 (3)         H17A       0.1849       0.3584       0.8698       0.178*         H17B       0.2127       0.4124       0.7456       0.178*	H14B	0.1874	0.0312	0.0245	0.198*
H15A 0.2113 0.0246 0.6051 0.085* H15B 0.3609 -0.0034 0.6825 0.085* C16 0.2309 (6) 0.2104 (7) 0.7598 (5) 0.0852 (17) C17 0.2438 (9) 0.3493 (7) 0.8081 (6) 0.119 (3) H17A 0.1849 0.3584 0.8698 0.178* H17B 0.2127 0.4124 0.7456 0.178*	H14C	0.0671	-0.0649	0.0572	0.198*
H15B 0.3609 -0.0034 0.6825 0.085* C16 0.2309 (6) 0.2104 (7) 0.7598 (5) 0.0852 (17) C17 0.2438 (9) 0.3493 (7) 0.8081 (6) 0.119 (3) H17A 0.1849 0.3584 0.8698 0.178* H17B 0.2127 0.4124 0.7456 0.178*	C15	0.3091 (6)	0.0569 (5)	0.6241 (5)	0.0708 (14)
C16       0.2309 (6)       0.2104 (7)       0.7598 (5)       0.0852 (17)         C17       0.2438 (9)       0.3493 (7)       0.8081 (6)       0.119 (3)         H17A       0.1849       0.3584       0.8698       0.178*         H17B       0.2127       0.4124       0.7456       0.178*	H15A	0.2113	0.0246	0.6051	0.085*
C17       0.2438 (9)       0.3493 (7)       0.8081 (6)       0.119 (3)         H17A       0.1849       0.3584       0.8698       0.178*         H17B       0.2127       0.4124       0.7456       0.178*	H15B	0.3609	-0.0034	0.6825	0.085*
H17A 0.1849 0.3584 0.8698 0.178* H17B 0.2127 0.4124 0.7456 0.178*	C16	0.2309 (6)	0.2104 (7)	0.7598 (5)	0.0852 (17)
H17A 0.1849 0.3584 0.8698 0.178* H17B 0.2127 0.4124 0.7456 0.178*	C17				
	H17A	0.1849		0.8698	0.178*
H17C 0.3420 0.3671 0.8403 0.178*	H17B	0.2127	0.4124	0.7456	0.178*
	H17C	0.3420	0.3671	0.8403	0.178*

Atomic displacement parameters  $(\mathring{A}^2)$ 

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
O1	0.071(2)	0.073 (2)	0.0601 (19)	0.0155 (19)	0.0089 (16)	0.0013 (19)
O2	0.137 (4)	0.075(3)	0.093(3)	0.009(3)	0.025(3)	0.022(2)
О3	0.0504 (17)	0.0541 (18)	0.075(2)	0.0007 (15)	0.0081 (15)	0.0020 (16)
O4	0.069(2)	0.069(3)	0.197 (5)	0.014(2)	0.016(3)	-0.005(3)
O5	0.0677 (18)	0.0512 (17)	0.060(2)	-0.0004(16)	-0.0015(17)	0.0015 (17)
O6	0.190 (5)	0.077(3)	0.104(4)	-0.003(3)	-0.039(3)	-0.021(3)
Ο7	0.0547 (17)	0.0625 (19)	0.077(2)	-0.0016 (16)	0.0072 (16)	0.0041 (19)
O8	0.0603 (18)	0.061(2)	0.081(2)	-0.0050(16)	-0.0111 (17)	0.0118 (18)
O9	0.084(2)	0.064(2)	0.084(2)	0.0017 (19)	0.035(2)	0.006(2)
O10	0.176 (5)	0.149 (4)	0.144 (5)	-0.045(4)	0.099 (4)	-0.011(4)

Acta Cryst. (2013). E69, o157 sup-5

C1	0.071 (3)	0.080(4)	0.067 (4)	0.001(3)	0.009(3)	0.010(3)
C2	0.117 (5)	0.133 (6)	0.077 (4)	0.017 (5)	0.027 (4)	0.005 (4)
C3	0.059(2)	0.050(2)	0.054(3)	0.006(2)	0.009(2)	0.000(2)
C4	0.053(2)	0.044(2)	0.057(3)	-0.001(2)	0.008(2)	0.001(2)
C5	0.056(3)	0.074 (4)	0.083 (4)	0.013 (3)	0.010(3)	0.000(3)
C6	0.055(3)	0.084(4)	0.170 (7)	-0.003(3)	0.003 (4)	-0.007(4)
C7	0.056(2)	0.041(2)	0.059(3)	0.006(2)	0.000(2)	0.002(2)
C8	0.086 (4)	0.076 (4)	0.069 (4)	-0.009(3)	0.000(3)	-0.004(3)
C9	0.080(4)	0.125 (5)	0.074 (4)	-0.006(4)	-0.013(3)	0.013 (4)
C10	0.059(3)	0.042(2)	0.070(3)	0.000(2)	0.007(2)	0.009(2)
C11	0.063(3)	0.046(2)	0.063(3)	-0.001(2)	0.001(2)	0.003(2)
C12	0.076(3)	0.083 (4)	0.082 (4)	-0.020(3)	-0.022(3)	0.017(3)
C13	0.078 (4)	0.155 (7)	0.148 (7)	-0.014(5)	-0.043(4)	0.015 (6)
C14	0.167 (8)	0.108 (5)	0.104(6)	-0.009(5)	-0.034(5)	-0.016 (5)
C15	0.070(3)	0.064(3)	0.080(4)	-0.005(3)	0.018 (3)	0.010(3)
C16	0.081 (4)	0.099 (5)	0.078 (4)	0.004 (4)	0.022(3)	0.013 (4)
C17	0.163 (7)	0.098 (5)	0.104 (5)	0.029 (5)	0.049 (5)	-0.005 (4)

## Geometric parameters (Å, °)

1	•		
O1—C1	1.361 (6)	C6—H6B	0.9600
O1—C3	1.451 (5)	C6—H6C	0.9600
O2—C1	1.187 (6)	C7—C10	1.546 (6)
O3—C5	1.363 (6)	C7—H7A	0.9800
O3—C4	1.446 (5)	C8—C9	1.500 (8)
O4—C5	1.181 (6)	C9—H9A	0.9600
O5—C8	1.354 (6)	С9—Н9В	0.9600
O5—C7	1.445 (5)	C9—H9C	0.9600
O6—C8	1.187 (7)	C10—C15	1.503 (6)
O7—C10	1.431 (5)	C10—H10A	0.9800
O7—C11	1.432 (5)	C11—H11A	0.9800
O8—C11	1.398 (5)	C12—C14	1.489 (9)
O8—C12	1.459 (6)	C12—C13	1.491 (8)
O9—C16	1.339 (6)	C12—H12A	0.9800
O9—C15	1.438 (6)	C13—H13A	0.9600
O10—C16	1.184 (7)	C13—H13B	0.9600
C1—C2	1.495 (8)	C13—H13C	0.9600
C2—H2A	0.9600	C14—H14A	0.9600
C2—H2B	0.9600	C14—H14B	0.9600
C2—H2C	0.9600	C14—H14C	0.9600
C3—C4	1.508 (6)	C15—H15A	0.9700
C3—C11	1.514 (6)	C15—H15B	0.9700
C3—H3A	0.9800	C16—C17	1.484 (9)
C4—C7	1.513 (6)	C17—H17A	0.9600
C4—H4A	0.9800	C17—H17B	0.9600
C5—C6	1.485 (8)	C17—H17C	0.9600
C6—H6A	0.9600		
C1—O1—C3	119.6 (4)	C8—C9—H9C	109.5
C5—O3—C4	119.4 (4)	H9A—C9—H9C	109.5

Acta Cryst. (2013). E**69**, o157

C° 05 C7	110 5 (4)	HOD CO HOC	100.5
C8—O5—C7 C10—O7—C11	118.5 (4)	H9B—C9—H9C	109.5
	111.7 (3)	07—C10—C15	110.1 (4)
C11—08—C12	114.8 (3)	07—C10—C7	107.4 (3)
C16—09—C15	116.5 (4)	C15—C10—C7	114.2 (4)
02—C1—01	122.4 (5)	O7—C10—H10A	108.4
02—C1—C2	127.7 (6)	C15—C10—H10A	108.4
01—C1—C2	109.9 (5)	C7—C10—H10A	108.4
C1—C2—H2A	109.5	08—C11—O7	108.0 (4)
C1—C2—H2B	109.5	O8—C11—C3	108.4 (3)
H2A—C2—H2B	109.5	O7—C11—C3	108.6 (3)
C1—C2—H2C	109.5	O8—C11—H11A	110.6
H2A—C2—H2C	109.5	O7—C11—H11A	110.6
H2B—C2—H2C	109.5	C3—C11—H11A	110.6
O1—C3—C4	107.7 (3)	O8—C12—C14	110.7 (5)
O1—C3—C11	107.8 (3)	O8—C12—C13	105.9 (5)
C4—C3—C11	110.9 (3)	C14—C12—C13	111.9 (6)
O1—C3—H3A	110.1	O8—C12—H12A	109.4
C4—C3—H3A	110.1	C14—C12—H12A	109.4
C11—C3—H3A	110.1	C13—C12—H12A	109.4
O3—C4—C3	108.6 (3)	C12—C13—H13A	109.5
O3—C4—C7	108.6 (3)	C12—C13—H13B	109.5
C3—C4—C7	111.6 (3)	H13A—C13—H13B	109.5
O3—C4—H4A	109.3	C12—C13—H13C	109.5
C3—C4—H4A	109.3	H13A—C13—H13C	109.5
C7—C4—H4A	109.3	H13B—C13—H13C	109.5
O4—C5—O3	122.4 (5)	C12—C14—H14A	109.5
O4—C5—C6	126.2 (5)	C12—C14—H14B	109.5
O3—C5—C6	111.3 (5)	H14A—C14—H14B	109.5
C5—C6—H6A	109.5	C12—C14—H14C	109.5
C5—C6—H6B	109.5	H14A—C14—H14C	109.5
H6A—C6—H6B	109.5	H14B—C14—H14C	109.5
C5—C6—H6C	109.5	O9—C15—C10	109.2 (4)
H6A—C6—H6C	109.5	O9—C15—H15A	109.8
H6B—C6—H6C	109.5	C10—C15—H15A	109.8
O5—C7—C4	109.4 (3)	O9—C15—H15B	109.8
O5—C7—C10	107.2 (3)	C10—C15—H15B	109.8
C4—C7—C10	111.1 (3)	H15A—C15—H15B	108.3
O5—C7—H7A	109.7	010—C16—09	121.4 (6)
C4—C7—H7A	109.7	010—C16—C17	` '
C10—C7—H7A			125.9 (6)
	109.7	09—C16—C17	112.7 (6)
06—C8—05	122.5 (6)	C16—C17—H17A	109.5
06—C8—C9	127.2 (6)	C16—C17—H17B	109.5
O5—C8—C9	110.3 (5)	H17A—C17—H17B	109.5
C8—C9—H9A	109.5	C16—C17—H17C	109.5
C8—C9—H9B	109.5	H17A—C17—H17C	109.5
H9A—C9—H9B	109.5	H17B—C17—H17C	109.5

Acta Cryst. (2013). E69, o157 sup-7